



Maricopa County Air Quality Department

1001 N. Central Ave., Suite 400
Phoenix, Arizona 85004-1942
Phone: (602) 506-6094
Fax: (602) 506-6985
TTY/TTD: (602) 506-6704
Web Site: <http://www.maricopa.gov/aq/>

INSTRUCTIONS APPLICATION FOR NON-TITLE V AIR QUALITY PERMIT

Use this form to apply for a Non-Title V air quality permit for an entire facility. Do not use it to amend prior applications, add additional pieces of equipment to an existing permitted facility, or transfer a current air quality permit from one person to another. Also do not use this application form for applying for an Authority to Operate (ATO) under a general permit (described below) or for applying for a Title V Air Quality Permit. Separate application packages are available for these purposes.

Complete the application by typing or printing legibly. The submitted application and documents become the property of the Maricopa County Air Quality Department (hereafter referred to as the Department) and will not be returned. All submitted documents will be available to the public unless a notice of confidentiality has been submitted by the applicant in accordance with Arizona Revised Statutes (ARS) §49-487 and accepted by the Department in accordance with Maricopa County Air Pollution Control Regulations, Rules 100 and 200. If confidentiality is claimed pursuant to ARS §49-487, a fully completed application with confidential information clearly identified along with a separate copy of the application for public review without the confidential information and a written justification for the confidentiality claimed must be submitted. For a facility without a valid, Department issued, air quality permit, a \$200.00 application fee must accompany the application. For a permit renewal application, an application fee is not required. The applicant will be billed at a later date for any additional applicable fees. If the application is submitted as a result of receiving a notice of violation (NOV), an additional \$100.00 late fee must accompany the application. Before the permit is issued, the Permittee will be billed for all permit processing time required for a billable permit action at a rate of \$108.00 per hour, adjusted annually under Department Rule 280 (Fees), §304. An annual administrative fee will also be charged per Rule 280, §302.2. For questions regarding billing, call the Department Business Services at (602) 506-6464.

Attach manufacturers' drawings and specifications whenever available. If necessary, attach additional sheets to the application to provide all required information. Please submit the application by completing the attached original forms.

The Maricopa County Air Pollution Control Regulations are available at the above address or may be viewed and/or downloaded from our web site at <http://www.maricopa.gov/aq/>. You may also contact the Department by telephone at (602) 506-6710 or (602) 506-6464 for the costs and information to obtain a full set.

For assistance in completing the application package, small businesses may contact the **Air Quality Resource Center** at (602) 506-5102 or at <http://www.maricopa.gov/sbeap/>

In lieu of a Non-Title V Air Quality Permit, your facility may be eligible for an Authority to Operate under a General Permit. Facilities that may be eligible for a General Permit include **dry cleaning facilities, graphic arts printing operations, gasoline dispensing operations, surface coating operations, vehicle and mobile equipment refinishing operations, and external fuel burning equipment that uses gaseous fuels**. To see if your facility qualifies for a General Permit, refer to pages two through four of these instructions. For more information about an ATO under a General Permit, please visit our web site or call (602) 506-6094 or (602) 506-6738.



Maricopa County Air Quality Department

1001 N. Central Ave., Suite 400
Phoenix, Arizona 85004-1942
Phone: (602) 506-6094
Fax: (602) 506-6985
TTY/TTD: (602) 506-6704
Web Site: <http://www.maricopa.gov/eq/>

GENERAL PERMIT ELIGIBILITY

DRY CLEANING:

The General Permit for dry cleaning operations does not cover facilities that are coin operated, or include any transfer machines or separate washer and dryer machines.

Dry cleaning facilities that meet all of the following criteria are eligible for a General Permit:

- Use perchloroethylene and/or petroleum solvents, so long as the facilities:
 - Include only new and/or existing dry-to-dry machines;
 - Consume less than 2,100 gallons of perchloroethylene per twelve-month period; and
 - Consume less than 6,800 gallons of petroleum solvents per twelve-month period.
- Operate fuel burning equipment that:
 - Burns only natural gas, propane, or butane; and where
 - Each piece is rated less than 10 million Btu per hour; and
 - The combine heat input rating for all fuel burning equipment (excluding internal combustion engines) is less than 36 million Btu per hour.

GRAPHIC ARTS OPERATIONS:

Graphic arts facilities that meet all of the following criteria are eligible for a General Permit:

- Have a combination of printing presses with greater than 500 square inches (3,226 cm²) of impression area or any press employing more than two units per printing press. "Units" means the number of printing surfaces.
- Emit less than 25 tons per calendar year and less than 4,200 pounds per month of volatile organic compounds (VOCs) from the facility, including but not limited to combined graphic arts, solvent use and boiler operations.
- Do not use an emissions control system (ECS) to control solvent emissions.
- Do not conduct any other operations requiring an air quality permit other than printing operations, fuel burning, and having an emergency generator.

GASOLINE DISPENSING OPERATIONS:

Gasoline dispensing operations which meet all of the following criteria are eligible for a General Permit:

- Do not conduct any other activities at the site requiring an air quality permit.
- Do not have an obstruction at the bottom of the fill pipe that prevents the measurement of the distance from the end of the fill pipe to the bottom of the tank (overflow protection flappers are acceptable).
- Each gasoline tank must have its own vapor return line to return the vapors to the tanker truck if Stage I vapor recovery is required.
- The monthly and annual throughputs of gasoline are less than those listed in the table below:

Controls	Maximum Monthly Limit	Rolling Twelve-Month Limit
Uncontrolled (Non-resale)	10,000 gallons	120,000 gallons
Stage I Vapor Recovery	160,000 gallons	1,920,000 gallons
Stage I and II Vapor Recovery	740,000 gallons	8,880,000 gallons



Maricopa County Air Quality Department

1001 N. Central Ave., Suite 400
Phoenix, Arizona 85004-1942
Phone: (602) 506-6094
Fax: (602) 506-6985
TTY/TTD: (602) 506-6704
Web Site: <http://www.maricopa.gov/eq/>

SURFACE COATING OPERATIONS:

The General Permit for surface coating operations encompasses facilities that apply surface coatings to various types of material. In addition, the facility may also have fuel burning equipment, solvent cleaners and abrasive blasting equipment. In order to qualify for the General Permit, all of the following criteria must be met:

- The facility must coat any of the following: cans, metal furniture, large appliances, fabric, film, plastic parts and products, paper, and vinyl, other metal parts and products; **or** the facility must conduct the following coating operations: air-dried, baked, silicone release and strippable booth.
- Coating must be conducted in a manner such that the requirements of County Rule 315 are met.
- The General Permit does not apply to facilities that are not more specifically regulated by a County Rule, other than Rule 336, within Rule 300 to 359 of Regulation III. For example, the General Permit does not cover the following operations:
 - Aerospace coating operations (Rule 348)
 - Architectural coating, including buildings and erected structures (Rule 335)
 - Marine vessel exterior refinishing
 - Polyester coatings applied to polyester composites
 - Printing and graphic arts coatings (Rule 337)
 - Semiconductor manufacturing (Rule 338)
 - Coating a highway vehicle or mobile equipment (Rule 345)
 - Coating wood furniture, such as chairs, cabinets, vanities, office partitions, beds, mattresses, upholstered furniture with wood frames, etc. (Rule 342)
 - Coating wood millwork, such as moldings, doors, panel work, stairs, shutters, mantels, ornamental woodworking, etc. (Rule 346)
- The General Permit does not apply to facilities that utilizes a VOC control device.
- The General Permit does not apply to facilities that are subject to any New Source Performance Standards (NSPS) or Maximum Achievable Control Technology (MACT).
- The General Permit does not apply to facilities that conduct powder coating operations.
- The General Permit does not apply to facilities that use a burn off oven.
- The combined use of coatings, solvents, and cleaning materials are less than 375 gallons per month and less than 4,500 gallons per twelve-month period.
- If fuel burning equipment is used, each piece of equipment must be rated less than 10 million Btu per hour, and must use natural gas, propane, or butane for fuel. The combined total of all equipment with a rating greater than 300,000 Btu per hour must be less than 60 million Btu per hour.
- If abrasive blasting equipment is used, the blast enclosure must not use forced air exhaust.
- For solvent cleaning operations (other than gun cleaning machines), the general permit does not apply if you utilize a vapor degreaser, conveyorized degreaser or other type of degreaser other than an unheated, non-conveyorized, small, cold cleaning unit with or without a remote reservoir. These cleaning operations must meet the requirements of County Rule 331 "Solvent Cleaning", Section 305.1 and/or Section 305.2.



Maricopa County Air Quality Department

1001 N. Central Ave., Suite 400
Phoenix, Arizona 85004-1942
Phone: (602) 506-6094
Fax: (602) 506-6985
TTY/TTD: (602) 506-6704
Web Site: <http://www.maricopa.gov/aq/>

VEHICLE AND MOBILE EQUIPMENT REFINISHING OPERATIONS:

The General Permit for refinishing of vehicles and/or mobile equipment encompasses facilities that paint vehicles and/or mobile equipment. In addition, the facility may also have fuel burning equipment, solvent cleaners and gasoline tanks. In order to qualify for the General Permit, all of the following limits must be met:

- The use of coatings, solvents, and cleaning materials combined can not exceed 500 gallons per month and 6,000 gallons per any twelve consecutive months;
- For solvent cleaning operations (other than gun cleaning machines), the general permit does not apply if you utilize a vapor degreaser, conveyorized degreaser or other type of degreaser other than an unheated, non-conveyorized, small, cold cleaning unit with or without a remote reservoir. These cleaning operations must meet the requirements of MCBAPC Rule 331 "Solvent Cleaning", Section 305.1 and/or Section 305.2.
- Each item of fuel burning equipment must be rated less than 10 million Btu per hour and only burn natural gas, propane or butane.
- For a non-retail gasoline dispensing operation, the facility may not exceed 120,000 gallons of throughput for any twelve consecutive months.

EXTERNAL FUEL BURNING OPERATIONS:

External fuel burning operations which meet all of the following criteria are eligible for a General Permit:

- External fuel burning is the only activity at the site requiring an air quality permit;
- The fuel burning equipment only uses natural gas, propane or butane as fuel;
- The maximum heat input rating for any single piece of equipment at the site is less than 10 million Btu per hour;
- The maximum combined heat input ratings for all fuel burning equipment (excluding internal combustion engines) at the facility as a whole is less than 60 million Btu per hour; and
- The maximum aggregate horsepower rating of all internal combustion engines on the site is less than 200 horsepower, the engines are used only for emergency purposes (i.e. backup generators), and the engines are never used for peak shaving purposes.



**MARICOPA COUNTY
AIR QUALITY DEPARTMENT**

1001 North Central Avenue, Suite 400
Phoenix, Arizona 85004
(602) 506-6094, FAX (602) 506-6985
TTY/TTD (602) 506-6704
<http://www.maricopa.gov/aq/>

FOR OFFICIAL USE ONLY

DATE RECEIVED

LOG NUMBER

APPLICATION FOR NON-TITLE V AIR QUALITY PERMIT

(As required by A.R.S. §49-480 and Maricopa County Air Pollution Control Regulations, Rule 200)

READ INSTRUCTIONS FIRST. ALL APPLICANTS MUST COMPLETE ITEMS 1 THROUGH 16 AND EACH APPLICABLE SECTION A THROUGH Z.

1. BUSINESS NAME:			
2. IS THIS A PORTABLE SOURCE ?		<input type="checkbox"/> YES (IF YES, PROVIDE THE <u>CURRENT</u> SITE INFORMATION IN ITEMS 2a, 3, AND 3a) <input type="checkbox"/> NO (COMPLETE ITEMS 2a, 3, AND 3a)	
2a. ADDRESS OF SITE:			
CITY:		STATE: <u>AZ</u>	ZIP CODE:
3. CONTACT PERSON AT SITE:		3a. TELEPHONE AT SITE:	
4. TYPE OF OWNERSHIP: <input type="checkbox"/> Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Sole Owner <input type="checkbox"/> Government <input type="checkbox"/> Other - Specify:			
5. NAME AND ADDRESS OF OWNERSHIP OR LEGAL ENTITY:			
6. OWNERSHIP CONTACT		6a. TELEPHONE:	
		6b. FAX:	
7. SEND ALL CORRESPONDENCE INCLUDING INVOICE AND PERMIT TO:		COMPANY NAME: _____ ADDRESS: _____ CITY: _____ STATE: _____ ZIP CODE: _____ ATTN: _____	
8. SIC (STANDARD INDUSTRIAL CLASSIFICATION) CODE(S):	9. IS THIS A RENEWAL APPLICATION? YES <input type="checkbox"/> NO <input type="checkbox"/> IF YES, ENTER THE EXISTING AIR PERMIT NUMBER FOR THIS SITE: _____		
10. IF THIS APPLICATION IS SUBMITTED AS A RENEWAL APPLICATION, HAS THE OWNERSHIP OF THIS FACILITY CHANGED SINCE THE PERMIT WAS LAST ISSUED OR TRANSFERRED?		YES <input type="checkbox"/> NO <input type="checkbox"/>	
11. BRIEF DESCRIPTION OF BUSINESS/PROCESS AT SITE: _____			
12. OPERATING SCHEDULE:	HOURS PER DAY	DAYS PER WEEK	WEEKS PER YEAR
			13. PROJECTED START-UP DATE (NEW FACILITIES):

14. THE AUTHORIZED CONTACT PERSON REGARDING THIS APPLICATION IS:

NAME _____ TELEPHONE: _____
TITLE _____ FAX: _____
COMPANY _____ E-MAIL: _____

15. I CERTIFY THAT I AM FAMILIAR WITH THE OPERATIONS AND EQUIPMENT REPRESENTED ON THIS APPLICATION AND ATTACHMENTS AND THE INFORMATION PROVIDED HEREIN IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE.

SIGNATURE OF OWNER OR RESPONSIBLE OFFICIAL OF BUSINESS _____ DATE: _____

TYPE OR PRINT NAME AND TITLE _____

16. **SITE DIAGRAM:** DRAW OR ATTACH A SITE LAYOUT SHOWING DISTANCES TO PROPERTY LINES, EQUIPMENT, CONTROLS, DUCTS, STACKS AND EMISSION POINTS. ALSO SHOW STORAGE AREAS FOR FUELS, RAW MATERIALS, CHEMICALS, FINISHED PRODUCTS, WASTE MATERIALS, ETC.

17. **OPERATION & MAINTENANCE (O&M) PLAN(S):** O&M Plans are required for any process that vents emissions through a control device and includes both add-on control type equipment or processes whose controls are integrated into the design of the process equipment. Indicate if your facility has such control devices (the list below is not an inclusive list of control devices).

EQUIPMENT	NO	YES	HOW MANY?
BAGHOUSE	<input type="checkbox"/>	<input type="checkbox"/>	_____
DUST COLLECTOR / FILTER	<input type="checkbox"/>	<input type="checkbox"/>	_____
INCINERATION SYSTEM (E.G., CATALYTIC OR THERMAL OXIDIZER, AFTER BURNER, BOILER, PROCESS HEATER, FLARE) – SPECIFY: _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
SCRUBBER	<input type="checkbox"/>	<input type="checkbox"/>	_____
ADSORPTION UNIT (E.G., RESIN, CARBON FILTER, OTHER) – SPECIFY: _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
ABSORPTION UNIT	<input type="checkbox"/>	<input type="checkbox"/>	_____
OTHER – SPECIFY: _____	<input type="checkbox"/>	<input type="checkbox"/>	_____


If you checked YES to any of these boxes, attach a separate O&M Plan for each control device. The O&M Plan should describe key system operating parameters and appropriate operating ranges for these parameters. For new equipment or processes, provide an educated estimate of the ranges of any parameters to be monitored. These ranges should be supported with manufacturer's test data or other manufacturer's data from engineering calculations and/or experience with the equipment. In addition, O&M Plans should be prepared in accordance with Maricopa County Air Quality Department - Operation and Maintenance (O&M) Plan Guidelines. A copy of these guidelines can be obtained on our web site at:

<http://www.maricopa.gov/aq/Permits/docs/OMGuidelines.pdf>

or by contacting Diana Nino at (602) 506-6094. Multiple control devices can be combined in a single O&M Plan providing they are identical in type, capacity, and use. A separate O&M Plan is required for each device that is unique in type, capacity, or use.

18. **PROCESS FLOW DIAGRAM:** Attach a flow diagram which indicates how processes/activities are conducted at the facility. Begin with raw materials and show each step in the production process. Also indicate emissions control devices and all emission points. An example process flow diagram is provided below.

EXAMPLE PROCESS FLOW DIAGRAM



SECTION A. FUEL BURNING EQUIPMENT

Complete this section if you burn natural gas, propane, butane, fuel oils, diesel, kerosene, gasoline, fuel oil blended with used oil, coal, charcoal, wood, or any other fossil fuel. Provide complete specifications for non-commercial and special fuels. Describe equipment such as boilers, furnaces, space heaters, water heaters, dryers, pool and spa heaters, kilns, ovens, burners, stoves, steam cleaners, hot water pressure washers, etc, with an input rating of 300,000 Btu/hr or more. List on separate lines all equipment with differing input Btu/hour ratings. Do not include vehicles, forklifts, lawnmowers, weed eaters and hand-held equipment operating on fossil fuels. Items such as asphalt kettles, incinerators, crematories, and emission control devices burning fuel are not to be listed in this section but shall be described in Section Y. Internal combustion engines and gas turbines are to be listed in Section B.

FUEL	EQUIPMENT DESCRIPTION. INCLUDE MAKE & MODEL. DESCRIBE AIR POLLUTION ABATEMENT/CONTROLS, IF ANY	DATE OF INSTALLATION	HOW MANY	NUMBER OF HOURS IN OPERATION DAILY	NUMBER OF HOURS IN OPERATION ANNUALLY	SPECIFY EACH EQUIPMENT RATING (Btu/hr or MM Btu/hr)

DO YOU INTEND TO BURN USED OIL, USED OIL FUEL, HAZARDOUS WASTE, OR HAZARDOUS WASTE FUEL?
--

SECTION B. INTERNAL COMBUSTION ENGINES & TURBINES

This section applies to stationary and portable fuel-fired equipment such as generators, fire pumps, air conditioning compressor engines, co-generation units, etc. Indicate in the description if the equipment is only for emergency use. Attach engine emission factors or emissions data, and specification sheets from manufacturer. Provide load factor data from manufacturer if applicable. Do not include vehicles, forklifts, lawnmowers, weed eaters and hand-held equipment operating on fossil fuels.

FUEL	EQUIPMENT DESCRIPTION. INCLUDE MAKE & MODEL. DESCRIBE AIR POLLUTION ABATEMENT/CONTROLS, IF ANY	DATE OF INSTALLATION	HOW MANY	NUMBER OF HOURS IN OPERATION DAILY	NUMBER OF HOURS IN OPERATION ANNUALLY	SPECIFY EACH EQUIPMENT POWER RATING (Btu/hr, hp, KW or other rating)

SECTION C. PETROLEUM STORAGE TANKS

This section applies to storage of gasoline and other fuels which have a true vapor pressure of 1.5 psia (77.6 mm of mercury) or greater under actual loading conditions. Petroleum terminals and bulk plants must use Section Y instead of this section. Storage tanks containing liquids with a vapor pressure less than 1.5 psia (other than fuels, such as non-petroleum organic liquids, caustic solutions, acids, etc.) must use Section Y.

1. DESCRIBE TANKS AND PRODUCTS STORED:

HOW MANY	CAPACITY OF EACH TANK	DATE OF INSTALLATION	ABOVE GROUND OR UNDERGROUND	PRODUCT STORED

2. ESTIMATE TOTAL ANNUAL THROUGHPUT FOR EACH PRODUCT STORED IN THESE TANKS (GALLONS/YEAR):

_____	_____
_____	_____

3. RETAIL ☐ NON-RETAIL ☐

4. EMISSION CONTROLS: STAGE ONE VAPOR RECOVERY: 2-POINT ☐ COAXIAL ☐ Y/WYE ☐ STAGE II ☐ NONE ☐

5. SUBMERGED FILL ☐ BOTTOM FILL ☐ OTHER ☐ SPECIFY: _____

6. ARE THERE ANY DEVICES OR PROTRUSIONS IN THE PRODUCT FILL PIPE, SUCH AS THEFT OR OVERFILL PREVENTION DEVICES WHICH IMPAIR OR PREVENT MEASURING THE FILL SLEEVE RELATIVE TO THE BOTTOM OF THE TANK? ☐ YES ☐ NO

IF YES, DESCRIBE: _____

SECTION D. WATER & SOIL REMEDIATION

This section applies to any site where clean-up activities for contaminated soil or water will be conducted.

1. TYPE OF CONTAMINANT: ☐ DIESEL ☐ GASOLINE ☐ OTHER, SPECIFY _____

2. CONTAMINATED MATERIAL: ☐ SOIL _____ CUBIC YARDS ☐ WATER _____ GALLONS

3. CONCENTRATION OF EACH CONTAMINANT: _____ (specify unit of measure)

4. OTHER AGENCIES NOTIFIED: ☐ CITY OF _____ ☐ ARIZONA DEPARTMENT OF ENVIRONMENTAL QUALITY

5. BRIEFLY DESCRIBE PROCEDURE: _____

6. ESTIMATED VOC EMISSION RATES: BEFORE THE CONTROL DEVICE: _____ LB/DAY; _____ LB/HR AFTER THE CONTROL DEVICE: _____ LB/DAY; _____ LB/HR

7. ESTIMATE LENGTH OF TIME FOR COMPLETION OF THIS PROJECT: _____ MONTHS

8. DESCRIBE TYPE AND EFFICIENCY OF CONTROLS FOR AIR EMISSIONS: (Use separate page if necessary) _____

9. PROJECTED START-UP AND COMPLETION DATES: _____

10. ATTACH FULL DETAILS OF SCOPE OF WORK, TREATMENT PROCEDURES, SPECIFICATIONS, TEST RESULTS, AND PLAN FOR CLOSURE.

SECTION E-1. SPRAY PAINTING & OTHER SURFACE COATING (NON-VEHICLE).

YOUR FACILITY MAY NOT REQUIRE A NON-TITLE V PERMIT IF THE FACILITY IS ELIGIBLE TO OBTAIN AN AUTHORITY TO OPERATE (ATO) UNDER A GENERAL PERMIT (REFER TO PAGE 3 OF THE INSTRUCTION TO DETERMINE ELIGIBILITY).

This section applies to but is not limited to: spray painting, powder coating, dipping, ultrasound coating and roller, brush and wipe applications. In response to items 1 and 2, list all materials used in painting or coating operations, including but not limited to: paints, primers, clear coats, catalysts, thinners, reducers, accelerators, retarders, paint strippers, gun cleaners, cleaning solvents, stains, plastic coatings, adhesives and surface preparation materials. For each material listed, provide manufacturer's technical data sheet or material safety data sheet (MSDS) and number them to correspond to the table below. If more room is necessary, attach additional material and/or equipment lists that include all information requested below. Use Section E-2 for vehicle spray painting operations.

1. LIST ALL LIQUID MATERIALS:

MSDS NUMBER	NAME/TYPE OF MATERIAL (Attach & number MSDS)	ESTIMATED USAGE (gal/yr)	VOC CONTENT (lb/gal)	GAL/YR RECLAIMED OR SHIPPED AS WASTE	VOC EMISSIONS (lb/yr)

2. LIST ALL POWDER COATING MATERIALS:

NAME/TYPE – ATTACH MSDS OR SPECIFICATIONS	ANNUAL USAGE (lb/yr)

3. DESCRIBE SUBSTRATE BEING COATED (such as metal, plastic, etc.): _____

DESCRIBE PRODUCT BEING COATED

(such as computer cabinets, waterbed frames, etc.): _____

4. DESCRIBE THE METHOD OF APPLICATION:

a. ☐ Air Atomization

Operating pressure: _____(psi)

b. ☐ Pressure Atomization (Airless)

c. ☐ Combined Air and Airless

d. ☐ High Volume Low Pressure (HVLV)

e. ☐ Electrostatic

f. ☐ Other (specify): _____

5. DESCRIBE FACILITY(IES) FOR APPLYING COATINGS. ATTACH MANUFACTURER'S SPECIFICATIONS.

#	ENCLOSURE OR BOOTH	SIZE (L x W x H)	DATE OF INSTALLATION	EXHAUST FAN C.F.M.	FILTER SYSTEM & EFFICIENCY*
1					
2					

*PROVIDE WRITTEN DOCUMENTATION OF FILTER EFFICIENCY (i.e., manufacturer's data or source test data)

6. WILL ALL SPRAYING OPERATIONS BE CONDUCTED INSIDE A BOOTH OR ENCLOSED BUILDING?:

IF THE ANSWER IS NO, DESCRIBE THE AREA AND EXPLAIN HOW THE OVERSPRAY WILL BE CONTROLLED: _____

7. DESCRIBE ANY RAIN CAP ON THE STACK: _____

8. ARE ANY COATINGS BAKED, OVEN-CURED OR HEAT-TREATED? WHICH ONES? AT WHAT TEMPERATURE? PROVIDE A COMPLETE DESCRIPTION AND SPECIFICATIONS FOR THE OVENS. IF OVENS ARE FUEL-FIRED, ALSO INCLUDE THEM IN SECTION A OF THIS APPLICATION.

9. DESCRIBE CLEAN-UP OF COATING EQUIPMENT AND HOW CLEAN-UP SOLVENT IS DISPOSED (Complete Section F, if applicable):

SECTION E-2. SPRAY PAINTING (VEHICLE)

YOUR FACILITY MAY NOT REQUIRE A NON-TITLE V PERMIT IF THE FACILITY IS ELIGIBLE TO OBTAIN AN AUTHORITY TO OPERATE (ATO) UNDER A GENERAL PERMIT (REFER TO PAGE 3 OF THE INSTRUCTIONS TO DETERMINE ELIGIBILITY).

This section applies to auto body shops, collision repair shops and to any person or facility in Maricopa County recoating previously paint-finished vehicles or parts of vehicles. This includes cars, large and small trucks, recreational and off-road vehicles of all types including, but not limited to, self-propelled movers of earth and/or materials. The refinishing of any machinery or wheeled trailer that is designed to be able to move or be towed on a highway is also included. Provide material safety data sheets (MSDS) for each material and number them to correspond to the table below. If more room is necessary, attach additional material and/or equipment lists that include all information requested below. Use Section E-1 for non-vehicle spray painting and surface coating operations.

1. LIST ALL MATERIALS APPLIED:

MSDS NUMBER	TYPE OF MATERIAL (attach MSDS or specifications)	VOLATILE ORGANIC COMPOUND (VOC) CONTENT* (lb/gal or gram/liter)	ESTIMATED USAGE (gal/yr)	AMOUNT OF WASTE DISPOSAL** (gal/yr)
	Strippers			
	Surface preparation/cleaning fluids			
	Primers			
	Enamels			
	Catalysts			
	Sealers			
	Topcoats			
	Retarders			
	Accelerators			
	Thinners			
	Reducers			
	Strippable booth coatings			
	Other:			

*Less water and non-precursors

**Method(s) of waste disposal: _____

2. DESCRIBE THE METHOD OF APPLICATION :

- a. ☐ Air Atomization
Operating pressure: _____(psi)
- b. ☐ Pressure Atomization (Airless)
- c. ☐ Combined Air and Airless
- d. ☐ High Volume Low Pressure (HVLP)
- e. ☐ Electrostatic
- f. ☐ Other (specify): _____

3. GUN CLEANING EQUIPMENT (specify each piece of equipment or refer to Section F):

EQUIPMENT TYPE	HOW MANY	MANUFACTURER, MODEL #	DATE OF INSTALLATION	SOLVENT TYPE (Attach MSDS)	ANNUAL SOLVENT USAGE (gal/yr)	QUANTITY OF SOLVENT DISPOSED (gal/yr)

4. METHOD OF DRYING FOR SPRAYED ITEMS:

- a. ☐ Air Dried
- b. ☐ Oven Dried or Baked: ☐ Electric: _____ KW; or ☐ Gas Fired: _____ Btu/hr (Complete Section A)

5. DESCRIBE FACILITY(IES) FOR APPLYING COATINGS. ATTACH MANUFACTURER'S SPECIFICATIONS.

#	TYPE (Enclosure or Booth)	SIZE (L X W X H)	DATE OF INSTALLATION	DIFFERENTIAL PRESSURE MEASUREMENT DEVICE? (Y/N)	EXHAUST FAN (C.F.M.)	TYPE OF FILTER SYSTEM & EFFICIENCY*
1						
2						

*PROVIDE WRITTEN DOCUMENTATION OF FILTER EFFICIENCY (i.e., manufacturer's data or source test data)

6. WILL ALL SPRAYING OPERATIONS BE CONDUCTED INSIDE A BOOTH OR ENCLOSED BUILDING? _____

IF THE ANSWER IS NO, DESCRIBE THE AREA AND EXPLAIN HOW THE OVERSPRAY WILL BE CONTROLLED: _____

7. DESCRIBE ANY RAIN CAP ON THE STACK: _____

SECTION F. SOLVENT CLEANING

1. COMPLETE THE TABLE BELOW FOR ALL SOLVENT CLEANING DEVICES USED. ATTACH MANUFACTURER'S EQUIPMENT SPECIFICATIONS/LITERATURE WHENEVER AVAILABLE.
2. ON A SEPARATE ATTACHMENT, PLEASE PROVIDE ANY ADDITIONAL EQUIPMENT INFORMATION, USAGE RATE AND/OR OPERATING PARAMETERS FOR SOLVENT CLEANING DEVICES UTILIZING ANY OF THE FOLLOWING HALOGENATED SOLVENTS: METHYLENE CHLORIDE, PERCHLOROETHYLENE, TRICHLOROETHYLENE, 1,1,1 – TRICHLOROETHANE, CARBON TETRACHLORIDE AND/OR CHLOROFORM.

TYPE OF SOLVENT CLEANING DEVICE ¹ (see list below)	HOW MANY	MANUFACTURER, MODEL	DATE OF INSTALLATION	SOLVENT SURFACE DIMENSIONS	FREEBOARD HEIGHT (inches)	INTERNAL VOLUME (gallons)	NAME OF SOLVENT TO BE USED (include MSDS)	ANNUAL SOLVENT USAGE [gallons]	DISPOSAL QUANTITY (gallons)	DISPOSAL METHOD ²

- NOTES:
- ¹ SPECIFY THE TYPE OF EQUIPMENT FROM THE FOLLOWING LIST:

1. COLD CLEANER (NO BOILING) WITH REMOTE RESERVOIR

2. COLD CLEANER (NO BOILING) WITHOUT REMOTE RESERVOIR

3. BATCH LOADED VAPOR DEGREASER

4. CONVEYORIZED VAPOR DEGREASER

5. CONVEYORIZED NON-VAPOR DEGREASER

6. OTHER (SPECIFY)

- ² IF WASTE SOLVENT IS REDISTILLED ON SITE, PROVIDE INFORMATION ON THE STILL, INCLUDING MANUFACTURER'S LITERATURE:

SECTION G. PLATING, ETCHING & OTHER METAL FINISHING PROCESSES

USE A SEPARATE SHEET FOR EACH PROCESS LINE. IF ADDITIONAL SPACE IS REQUIRED, ATTACH SEPARATE SHEETS FOLLOWING THE SAME FORMAT AS BELOW. IF ANY TANK IS HEATED BY A FLAME, BE SURE TO INCLUDE THE BURNER INFORMATION IN SECTION A. EVAPORATION FROM OPEN PONDS OR EVAPORATING TANKS IS NOT PERMITTED FOR MATERIALS SUCH AS ACIDS, ALKALIS, VOCs OR MATERIALS CONTAINING VOCs.

1. PROCESS NARRATIVE DESCRIPTION: _____

2. On a separate page, provide a simple process (block flow) diagram with emission points and/or emission areas and control equipment identified. Please include a brief narrative description of this process. Be sure to indicate how waste solutions and rinse waters are disposed. If a wastewater evaporator is used, provide detailed information (i.e., make, model, capacity, fuel source, burner rating, etc.) on a separate page.

3. PROCESS TANKS (exclude rinse and wastewater tanks):

ASSIGNED EQUIPMENT NUMBER	CAPACITY (gallons)	TYPE OF CHEMICAL IN TANK	SURFACE AREA (SQ. FT.)	TEMP (°F)	CONCENTRATION (%)	pH	EXHAUST	
							VENT TO AIR	VENT TO CONTROL

4. LIST MATERIALS TO BE USED: The equipment number is to be taken from item 3, column 1. Include a copy of the Material Safety Data Sheet (MSDS) for each material and number the MSDS to correspond to the table below.

MSDS NUMBER	MATERIAL	CONCENTRATION (%) IN BATH	ANNUAL USAGE (gal/yr or lb/yr)	EQUIPMENT NUMBER IN WHICH USED

5. AIR POLLUTION CONTROL EQUIPMENT: (From item 3 column 9)

On a separate page, describe the design and operational parameters of the control device. For example, the liquid flow rate, gas flow rate, control efficiency for each compound in weight %, pH set point, how the pH is controlled, operating temperature, etc. Is the capture system push-pull, enclosed, or hood? If it is a push-pull, will anything (racks, works in progress, etc.) block push air during operation?

CONTROL EQUIPMENT ID	CONTROL EQUIPMENT DESCRIPTION AND CAPACITY	MAKE & MODEL	CONTROL EFFICIENCY* (%)	CFM or FPS	DATE OF INSTALLATION

*PROVIDE WRITTEN DOCUMENTATION OF CONTROL EFFICIENCY (i.e., manufacturer's data or source test data). Attach the manufacturer's specifications and drawings for each air pollution control device listed. Be sure that the locations of all flow devices and pressure/temperature gauges are indicated. Attach an operation and maintenance plan for each piece of control equipment listed above.

SECTION H. DRY CLEANING EQUIPMENT

YOUR FACILITY **MAY NOT REQUIRE** A NON-TITLE V PERMIT IF THE FACILITY IS ELIGIBLE TO OBTAIN AN AUTHORITY TO OPERATE (ATO) UNDER A GENERAL PERMIT (REFER TO PAGE 2 OF THE INSTRUCTIONS TO DETERMINE ELIGIBILITY).

1. SOLVENT USED: _____ ESTIMATED USAGE: _____ gallons/year

2. ☐ DRY-TO-DRY ☐ TRANSFER

3. DATE OF INSTALLATION OF DRY CLEANING EQUIPMENT: _____

4. LIST DRY CLEANING-RELATED EQUIPMENT:

DESCRIBE EQUIPMENT, INCLUDING MAKE & MODEL	HOW MANY	CAPACITY (lbs)	EXHAUST FLOW RATE (specify CFM or FPS)	
			VENT TO AIR	VENT TO CONTROL

5. COOLING TOWER: ☐ YES ☐ NO IF YES, CAPACITY: _____ GALS; _____ TONS COOLING CAPACITY

6. EMISSION CONTROLS: ☐ REFRIGERATED CONDENSING COILS: ☐ BUILT IN ☐ SEPARATE CONDENSING UNIT

☐ CARBON ADSORBER

☐ OTHER (SPECIFY) _____

DATE OF INSTALLATION OF CONTROL EQUIPMENT: _____
ATTACH MANUFACTURER'S SPECIFICATIONS.

6. STEAM BOILERS USED SPECIFICALLY FOR STRIPPING ADSORBER AND/OR PRESSING: (Include all others in Section A.)

FUEL	BOILER DESCRIPTION, INCLUDING MAKE & MODEL	DATE OF INSTALLATION	GROSS BTU/HR, H.P. OR OTHER RATING

SECTION I. GRAPHIC ARTS

YOUR FACILITY MAY NOT REQUIRE A NON-TITLE V PERMIT IF THE FACILITY IS ELIGIBLE TO OBTAIN AN AUTHORITY TO OPERATE (ATO) UNDER A GENERAL PERMIT (REFER TO PAGE 2 OF THE INSTRUCTIONS TO DETERMINE ELIGIBILITY).

THIS SECTION APPLIES TO GRAPHIC ARTS OPERATIONS AND ASSOCIATED COATING PROCESSES THAT ARE NOT ELIGIBLE FOR THE GENERAL PERMIT. THIS INCLUDES BUT IS NOT LIMITED TO CIRCUITRY PRINTING, FLEXOGRAPHIC, GRAPHIC ARTS, GRAVURE, LAMINATION, LETTER PRESS LITHOGRAPHIC, AND SCREEN PRINTING OPERATIONS.

1. EQUIPMENT LIST (LIST EACH PRESS INDIVIDUALLY):

ASSIGNED EQUIPMENT NUMBER	PRESS MANUFACTURER, MODEL	DATE OF INSTALLATION	IMPRESSION AREA (SQUARE IN)	PRESS TYPE*	# OF PRINTING STATIONS	EXHAUST FLOW RATE (SPECIFY CFM OR FPS)	
						VENT TO AIR	VENT TO CONTROL (IDENTIFY)

* (F) Flexographic, (L) Lithographic, (G) Gravure, (LP) Letter Press, (S) Screen, Other (please specify)

2. MATERIALS LIST:

List all materials including, but not limited to, inks, fountain solution, blanket wash, varnishes, roller wash, etch solutions, fixers, developers, replenishers, alcohol substitutes, finishers, adhesives, solvents, and cleanup materials. Complete the table below for each material. Provide material safety data sheets (MSDS) for each material and number them to correspond to the table below.

MSDS NUMBER	MATERIAL	ANNUAL USAGE OR THROUGHPUT SPECIFY: (gal/yr or lb/yr)	VOC CONTENT (% BY WEIGHT)	AMOUNT RECLAIMED OR SHIPPED AS WASTE SPECIFY: (gal/yr or lb/yr)

3. SUBSTRATE TYPE:

- ☐ POROUS ☐ COATED
☐ NONPOROUS ☐ UNCOATED

4. DESCRIBE CONTROL DEVICES:

How are volatile organic compound (VOC) emissions controlled? Provide flow diagrams and/or briefly describe. Include equipment type, manufacturer, model, date of installation, rating, efficiency, ID or serial number, and location. Attach vendor data sheets and general design details. Provide Operation & Maintenance Plans for each control device.

SECTION J-1. CONCRETE BATCH PLANTS

THIS SECTION IS INTENDED FOR ALL PROCESSES, EQUIPMENT AND RELATED EMISSION CONTROLS FOR CONCRETE BATCH PLANTS. PROVIDE FLOW DIAGRAMS AND LAYOUTS FOR EACH PROCESS. AN OPERATION AND MAINTENANCE PLAN FOR EACH AIR POLLUTION CONTROL EQUIPMENT IS REQUIRED. DESCRIBE HOW THE ANNUAL QUANTITY FIGURES WERE DEVELOPED. IF AGGREGATE CRUSHING OCCURS IN CONJUNCTION WITH THIS PROCESS, YOU MUST ALSO COMPLETE SECTION Y.

1. RAW MATERIALS: List all materials handled, stored, processed, used, mixed, treated, or emitted.

MATERIAL TYPE/TRANSFER OPERATION	MAXIMUM ANNUAL USAGE OR THROUGHPUT (tons/yr)
Sand delivered to ground storage	
Aggregate delivered to ground storage	
Sand transfer to conveyor (account for multiple transfer points) ¹	
Aggregate transfer to conveyor (account for multiple transfer points) ¹	
Sand transfer to elevated storage bin	
Aggregate transfer to elevated storage bin	
Cement transfer to elevated silo	
Cement Supplement (such as flyash) transfer to elevated silo	
Weigh hopper loading (sand and aggregate only)	
Mixer loading - central mix (cement and supplement only)	
Truck loading - truck mix (cement and supplement only)	
Other	

NOTE: ¹For sand and aggregate transfer to conveyor, account for multiple transfer points. For example, if 100 tons of sand is transferred three times to different conveyors, the total throughput of sand is 300 tons.

2. RAW MATERIAL UNLOADING:

How is cement transferred to silo? ☐ Bucket Elevator ☐ Pneumatic

☐ Other (Describe) _____

How is flyash and other materials transferred to silo? ☐ Bucket Elevator ☐ Pneumatic

☐ Other (Describe) _____

3. PROCESSING:

Describe each piece of equipment utilizing the table below. List weigh hoppers, conveyors, mixers, etc. Assign an equipment number in the table below and label the attached flow diagram accordingly. Attach additional pages if necessary

Equipment Number	Make Model & Serial Number	Date of Manufacture	Maximum Design Throughput Capacity (Tons/hr)	Exhaust To	
				Air	Control

CONTINUED ON NEXT PAGE

SECTION J-1. CONCRETE BATCH PLANTS - CONTINUED

4. MAXIMUM CAPACITY OF CONCRETE BATCH PLANT (tons/hr): _____

5. LOADOUT:

What percent of finished product is mixed: On-site? _____ In transit? _____

Other? _____ (Describe) _____

6. CONTROL DEVICES: Attach an Operation and Maintenance Plan for each control device.

Equipment Number	Equipment Controlled*	Type of Device	Make, Model, & Serial Number	Maximum Design Air Flow Rate (CFM)	Control Efficiency** (% Weight)

*Specify the equipment number from Section 3 for the piece of equipment whose emissions are being controlled by the control device.

**Provide written documentation of control efficiency (e.g., manufacturer's data or actual test data).

7. VEHICLE TRAVEL ON UNPAVED ROADS:

Indicate the number of miles traveled on-site annually on unpaved roads for each class of vehicle specified below.

VEHICLE TYPE	VEHICLE MILES TRAVELED ANNUALLY (VMT)			
	10 MPH	15 MPH	20 MPH	OTHER SPEED:
Light Duty (e.g., pickup trucks, cars)				
Medium Duty (e.g., front end loaders, fork lifts)				
Heavy Duty (e.g., haul trucks, cranes)				

8. NUMBER OF AGGREGATE, MIXER, AND/OR BATCH TRUCKS EXITING THE FACILITY ON ANY DAY: _____

9. NUMBER OF ACRES OF SAND AND AGGREGATE STORAGE PILES: _____

10. DOES THIS FACILITY HAVE A STREET SWEEPER? _____ WHEN WAS IT PURCHASED? _____

IS THE SWEEPER CERTIFIED BY THE SOUTH COAST AIR QUALITY MANAGEMENT RULE 1186? _____

SECTION J-2. NON-METALLIC MINERAL MINING AND PROCESSING

(EXCEPT CONCRETE BATCH PLANTS AND ASPHALT PLANTS)

THIS SECTION IS INTENDED FOR ALL PROCESSES, EQUIPMENT AND RELATED EMISSION CONTROLS FOR SAND AND GRAVEL PLANTS. PROVIDE FLOW DIAGRAMS AND LAYOUTS FOR EACH PROCESS. AN OPERATION AND MAINTENANCE PLAN FOR EACH AIR POLLUTION CONTROL EQUIPMENT IS REQUIRED. DESCRIBE HOW THE ANNUAL QUANTITY FIGURES WERE DEVELOPED.

1. MATERIALS: List all materials handled, stored, processed, used, mixed, treated, or emitted.

MATERIAL	MAXIMUM ANNUAL USAGE OR THROUGHPUT (tons/yr)
Sand	
Aggregate	
Other	

2. PROCESS NARRATIVE DESCRIPTION:

3. PROCESS EQUIPMENT:

Describe each piece of equipment utilizing the table below. List crushers, screens, weigh hoppers, conveyors, stackers, mixers, etc. Assign an equipment number in the table below and label the attached flow diagram accordingly. Assign a unique number to each piece of control equipment in Table 3 below. Be sure to use this number in Section 3 below when describing equipment. Attach additional pages if necessary

Equipment Number	Make Model & Serial Number	How Many?	Date of Manufacture	Maximum Design Throughput Capacity (tons/hr)	Exhaust To	
					Air	Control

4. CONTROL DEVICES:

Equipment Number	Type of Device	Make, Model, & Serial Number	Maximum Design Air Flow Rate (CFM)	Control Efficiency* (% Weight)

*PROVIDE WRITTEN DOCUMENTATION OF CONTROL EFFICIENCY (e.g., manufacturer's data or actual test data)

**ATTACH AN OPERATION AND MAINTENANCE PLAN FOR EACH PIECE OF CONTROL EQUIPMENT LISTED ABOVE.

5. VEHICLE TRAFFIC ON UNPAVED ROADS:

Indicate the number of miles traveled on-site annually on unpaved roads for each speed and vehicle class specified below.

VEHICLE TYPE	VEHICLE MILES TRAVELED ANNUALLY (VMT)			
	10 MPH	15 MPH	20 MPH	OTHER:
Light Duty (e.g., pickup trucks, cars)				
Medium Duty (e.g., front end loaders, fork lifts)				
Heavy Duty (e.g., haul trucks, cranes)				

SECTION K. ASPHALT PRODUCTION

This section is intended for all processes, equipment and related emission controls for asphalt plants. Provide flow diagrams and layouts for each process. An Operation and Maintenance Plan for each air pollution control device is required. Describe how the annual quantity figures were developed. If you own/operate aggregate crushing equipment which operates on-site with this batch plant you must also fill out Section Y.

1. MAXIMUM DESIGN PRODUCTION CAPACITY: _____ TONS PER HOUR _____ TONS PER YEAR
2. ACTUAL PRODUCTION RATE: _____ TONS PER HOUR
3. DAILY HOURS OF OPERATION: _____
4. TYPE OF PLANT: ☐ BATCH MIX ☐ CONTINUOUS MIX
5. DRYER FUEL TYPE & HEAT RATING: ☐ NATURAL GAS ☐ FUEL OIL (Specify grade): _____ ☐ DIESEL ☐ ON SPEC. USED OIL
☐ OTHER FUEL (Specify): _____
 HEAT RATING (BTU/HR): _____
6. ASPHALT HEATER: (if applicable) ☐ ELECTRIC
☐ FUEL FIRED: FUEL TYPE: _____ HEAT RATING (BTU/HR): _____
 TEMPERATURE OF HEATED ASPHALT: _____ °F
7. AGGREGATE MIX RATIO BY WEIGHT: _____ % VIRGIN AGGREGATE
 _____ % RECYCLED AGGREGATE
 _____ % PETROLEUM CONTAMINATED SOIL
 _____ % RUBBER OR RUBBER-LIKE MATERIAL
8. PERCENT VOCs BY VOLUME WHICH EVAPORATE AT 500°F FOR THE FOLLOWING ASPHALT TYPES: EMULSIFIED: _____ % CUTBACK: _____ %
9. DATE PLANT WAS MANUFACTURED OR RECONSTRUCTED: _____

10. DESCRIBE CONTROL DEVICES:

TYPE OF DEVICE	MAKE, MODEL, & SERIAL NUMBER	MAXIMUM DESIGN AIR FLOW RATE (CFM)	CONTROL EFFICIENCY (% WEIGHT)

*PROVIDE WRITTEN DOCUMENTATION OF CONTROL EFFICIENCY (e.g., manufacturer's data or actual test data)

**ATTACH AN OPERATION AND MAINTENANCE PLAN FOR EACH PIECE OF CONTROL EQUIPMENT LISTED ABOVE.

11. VEHICLE TRAFFIC ON UNPAVED ROADS: Indicate the number of miles traveled on-site annually on unpaved roads for each speed and vehicle class specified below.

VEHICLE TYPE	VEHICLE MILES TRAVELED ANNUALLY (VMT)			
	10 MPH	15 MPH	20 MPH	OTHER:
Light Duty (e.g., pickup trucks, cars)				
Medium Duty (e.g., front end loaders, fork lifts)				
Heavy Duty (e.g., haul trucks, cranes)				

SECTION L. WOOD FURNITURE MANUFACTURING OR WOOD WORKING OPERATIONS

This section is intended for all processes, equipment, and related emission controls associated with the manufacture and/or application of finishing material to furniture or fixtures made of wood or wood-derived material.

1. Woodworking Equipment: List all woodworking equipment including, but not limited to, saws, routers, planers, sanders, edgers, etc. Particulate (dust) control devices such as cyclones, baghouse, etc. should be listed in the exhaust column. Attach additional sheets if necessary.

DESCRIBE EACH PIECE OF EQUIPMENT INCLUDE MAKE AND MODEL NUMBER	QTY	HP RATING	EXHAUST		
			VENT TO AIR (YES OR NO)	VENT TO CONTROL	
				TYPE OF CONTROL	CONTROL EFFICIENCY*

*PROVIDE WRITTEN DOCUMENTATION OF CONTROL EFFICIENCY (e.g., manufacturer's data or actual test data)

2. How much sawdust is produced annually? _____ cubic yards or tons (specify)

3. SURFACE PREPARATION AND COATING: List all VOC-containing materials applied. Provide Material Safety Data Sheets (MSDSs) for each material and number them to correspond to the table below. Attach additional sheets if necessary.

MSDS NO.	TYPE OF MATERIAL	MAX VOC AS APPLIED (lb/lb or gram/liter)	ESTIMATED USAGE (gal/yr)	AMOUNT OF WASTE DISPOSAL (gal/yr)
	Topcoat			
	Topcoat			
	Topcoat			
	Sealer			
	Acid-cured, alkyd amino topcoat			
	Acid-cure, alkyd amino vinyl sealer			
	Strippable booth coating			
	Stains			
	Thinners			
	Reducers			
	Other			

4. DESCRIBE THE METHOD OF APPLICATION :

- a. ☐ Air Atomization
Operating pressure: _____(psi)
- b. ☐ Pressure Atomization (Airless)
- c. ☐ Combined Air and Airless
- d. ☐ High Volume Low Pressure (HVLP)
- e. ☐ Electrostatic
- f. ☐ Other (specify): _____

5. VOC content (%) of cleaning solvent used for equipment cleanup: _____

6. Describe cleanup of application equipment and handling and disposal of VOC: _____

7. Are you applying for consideration under:

- Rule 342 ☐ Appendix A,
☐ Appendix B,
☐ Appendix C.
- Rule 346 ☐ Appendix A,
☐ Appendix B.

SECTION M. ABRASIVE BLASTING

THIS SECTION IS INTENDED FOR ALL PROCESSES, EQUIPMENT, AND RELATED EMISSION CONTROLS ASSOCIATED WITH ABRASIVE BLASTING OPERATIONS.

TYPE OF BLASTING EQUIPMENT: ☐ STATIONARY ☐ PORTABLE

1. ABRASIVE BLASTING EQUIPMENT LIST: List all abrasive blasting equipment. Attach additional sheets if necessary.

SPECIFY EQUIPMENT TYPE (BLAST BOOTH, ROOM, ENCLOSURE, CABINET, AUTOMATIC MACHINE) – INCLUDE MAKE AND MODEL NUMBER	ABRASIVE BLASTING METHOD USED	HOW MANY?	INTERNAL VOLUME (ft ³)	MAXIMUM PRESSURE (psi)	MAXIMUM AIR FLOW RATE (cfm)	EXHAUST	
						VENT TO AIR	VENT TO CONTROL

NOTE: Examples of abrasive blasting methods may include: wet abrasive blasting, hydroblasting, vacuum blasting, dry blasting, unconfined blasting, other

2. How is the abrasive blast unit powered (electric, generator)? _____

(If powered by an internal combustion engine, complete Section B of this application)

3. Blast Media: Indicate the type and quantity of each blast media used and attach a material safety data sheet (MSDS).

TYPE OF BLAST MEDIA	MAXIMUM DAILY USAGE (lbs/day)	MAXIMUM ANNUAL USAGE (tons/yr)	IS BLAST MEDIA CARB CERTIFIED ¹ ?		
			YES	NO	NOT SURE

NOTE: ¹Certified by California Air Resources Board (CARB) pursuant to Section 92530 of Subchapter 6, Title 17, California Code of Regulations

4. DESCRIBE SUBSTRATE BEING BLASTED (I.E., METAL, STONE, CONCRETE, ETC.): _____

5. DESCRIBE SUBSTRATE BEING REMOVED (I.E., NON-LEADED PAINT, LEADED PAINT, RUST, ETC.): _____

6. IF LEADED PAINT WAS INDICATED IN ITEM 5, INDICATE THE PERCENT CONCENTRATION OF LEAD IN THE PAINT: _____ %

7. DESCRIBE CONTROL DEVICES:

TYPE OF CONTROL DEVICE*	MAKE, MODEL, & SERIAL NUMBER	MAXIMUM DESIGN AIR FLOW RATE (CFM)	CONTROL EFFICIENCY (% BY WEIGHT)**

*ATTACH AN OPERATION AND MAINTENANCE PLAN FOR EACH PIECE OF CONTROL EQUIPMENT LISTED ABOVE.

**PROVIDE WRITTEN DOCUMENTATION OF CONTROL EFFICIENCY (e.g., manufacturer's data or actual test data)

SECTION X1. POINT SOURCE EMISSIONS OF HAZARDOUS AIR POLLUTANTS

COMPLETION OF THIS SECTION IS MANDATORY FOR ALL SITES WHICH WILL HAVE AN ACTUAL EMISSION RATE OF 500 POUNDS PER YEAR OR MORE OF ANY SINGLE FEDERAL HAZARDOUS AIR POLLUTANT (HAP) OR ONE (1) TON PER YEAR OR MORE OF ANY COMBINATION OF HAPS.

SOURCE EQUIPMENT NAME (1)	HAP NAME AND/OR CAS NUMBER (2)	HAP EMISSION RATE		STACK OR POINT DISCHARGE PARAMETERS (5)								
		(lb/hr) (3)	(tons/yr) (4)	STACK ID	STACK HEIGHT ABOVE GROUND (feet)	BUILDING DIMENSIONS			DISTANCE FROM STACK TO NEAREST PROPERTY LINE (feet)	STACK EXIT DATA		
						BUILDING LENGTH (feet)	BUILDING WIDTH (feet)	BUILDING HEIGHT (feet)		DIAMETER or LENGTH x WIDTH (feet)	VEL. (fps)	TEMP. (°F)

General Instructions:

- (1) Identify each federal hazardous air pollutant (HAP) emission source and each HAP associated with that emission source for the entire plant site. Use as many lines as necessary for each HAP source.
- (2) Refer to the list of federal HAPS on the last page of the application.
- (3) Pounds per hour (lb/hr) is actual emission rate estimated or measured by applicant to be vented through stack.
- (4) Tons per year is actual annual emission rate estimated or measured by applicant to be vented through stack, which takes into account process operating schedule.
- (5) Supply additional information as follows on a separate sheet if appropriate:
 Stack exit configuration other than a round vertical stack. Show length and width for a rectangular stack. Indicate if discharge is horizontal.
 Show layout of adjacent structures if structure is within 3 times stack height above the ground.

SECTION X2. NON-POINT AREA EMISSION SOURCES FOR HAZARDOUS AIR POLLUTANTS

COMPLETION OF THIS SECTION IS MANDATORY FOR ALL SITES WHICH WILL HAVE AN ACTUAL EMISSION RATE OF 500 POUNDS PER YEAR OR MORE OF ANY SINGLE FEDERAL HAZARDOUS AIR POLLUTANT (HAP) OR ONE (1) TON PER YEAR OR MORE OF ANY COMBINATION OF HAPS.

[illegible]

General Instructions:

- (1) Identify each federal hazardous air pollutant (HAP) emission source and each HAP which is not collected by a capture system and is released to the atmosphere. Use as many lines as necessary for each HAP source.
- (2) Refer to the list of federal HAPS on the last page of the application.
- (3) Pounds per hour (lb/hr) is actual emission rate estimated or measured by applicant to be released from the emission source.
- (4) Tons per year is actual annual emission rate estimated or measured by applicant to be released from the emission source. This value should take into account process operating schedules.
- (5) Release structure: If the non-point (area) emissions source is located inside a building, provide the dimensions of the building. Otherwise, indicate zero for building dimensions.
- (6) Distance to nearest property line is the closest distance from the release structure to the property line.

SECTION Y. OTHER SOURCES

This section is intended for all emissions related activities, equipment and applicable emission controls which are not covered in previous sections. In response to item 2, provide a detailed step-by-step narrative, including how raw materials are handled, stored, processed, mixed, treated, and converted to finished products. Provide flow rates, temperatures, pressures, and other appropriate details concerning each process. Whenever available, provide manufacturer's data sheets and literature. Provide flow diagrams and layouts for each process. Describe in detail how waste materials are generated, handled, stored, processed, mixed, treated and disposed of. An Operation and Maintenance Plan for each air pollution control equipment is required. List each material that is partially recovered, salvaged or otherwise reclaimed. Provide estimates of the quantities of such material recoveries on an annual basis. Describe how the annual quantity figures were developed. USE A SEPARATE SHEET FOR EACH PROCESS OR ACTIVITY.

1. NAME OF PROCESS, EQUIPMENT GROUPING OR ACTIVITY: _____

2. NARRATIVE DESCRIPTION: _____

3. EQUIPMENT LIST: Include machinery, storage silos, tanks, emission control devices, etc., in this list.

ASSIGNED EQUIPMENT NUMBER	DESCRIBE EACH PIECE OF EQUIPMENT INCLUDE MAKE & MODEL	HOW MANY	DATE OF INSTALLATION	HP, KVA GAL OR OTHER RATING	EXHAUST	
					VENT TO AIR	VENT TO CONTROL (Identify)

4. MATERIALS LIST:

List all materials handled, stored, processed, used, mixed, treated, or emitted. Include chemicals, mixtures, resins, cleaning compounds, etc., in this list. If a material contains volatile organic compounds (VOC), provide the required details for that material. Identify each material in sufficient detail and provide material safety data sheets (MSDS).

MATERIAL	ANNUAL USAGE OR THROUGHPUT (gal/yr or lb/yr)	CHEMICAL COMPOSITION (% by weight)	MATERIAL RECLAIMED OR SHIPPED AS WASTE (gal/yr or lb/yr)	EQUIPMENT NUMBER IN WHICH USED

5. DESCRIBE CONTROL DEVICES:

TYPE OF DEVICE	NAME / ID / CAPACITY	DATE OF INSTALLATION	CONTROL EFFICIENCY* (% WEIGHT)

*PROVIDE WRITTEN DOCUMENTATION OF CONTROL EFFICIENCY (i.e., manufacturer's data or source test data). Attach the manufacturer's specifications and drawings for each air pollution control device listed. Be sure that the locations of all flow devices and pressure/temperature gauges are indicated. Attach an operation and maintenance plan for each piece of control equipment listed above.

6. OPERATIONAL PARAMETERS: (such as ph of scrubber liquid, temperature of oxidizer, differential pressure for baghouse, etc.)

SECTION Z. AIR POLLUTANT EMISSIONS

Completion of this section is mandatory for all sites which will have total projected actual or total actual air pollutant emissions of 1/2 ton per year or more prior to any separate tail-pipe controls.

PROVIDE A SUMMARY OF THE PROJECTED ACTUAL AIR EMISSIONS ON AN ANNUAL BASIS FOR THE ENTIRE SITE:

POLLUTANT	EMISSIONS (lb/yr)
CARBON MONOXIDE (CO)	
OXIDES OF NITROGEN (NO _x)	
OXIDES OF SULFUR (SO _x)	
PARTICULATES OF 10 MICRONS OR SMALLER (PM ₁₀)	
TOTAL SUSPENDED PARTICULATES (TSP), INCLUDING PM ₁₀	
TOTAL VOLATILE ORGANIC COMPOUNDS (VOC) EXCLUDING NON-PRECURSOR ORGANIC COMPOUNDS	
LEAD	
FEDERAL HAZARDOUS AIR POLLUTANTS (LIST EACH ONE SEPARATELY):	
OTHER REGULATED AIR POLLUTANTS (LIST EACH ONE SEPARATELY):	

IF A SEPARATE TAIL-PIPE CONTROL IS PROPOSED OR INSTALLED, IDENTIFY THAT CONTROL AND PROVIDE DETAILS (PROVIDE A SEPARATE TABLE FOR EACH SEPARATE CONTROL)

IDENTIFY CONTROL _____

POLLUTANT	EMISSIONS (lb/yr)	
	PRIOR TO CONTROL	AFTER CONTROL

Attach detailed calculations to support the figures in the above summary tables. Do not include the emissions from motor vehicles. Include the emissions from stationary sources, portable sources, test areas, experimental facilities, evaporative losses, storage and handling losses, fuel loading and unloading losses, etc. Specifically identify the following in detailed calculations:

- | | |
|--|-------------------------------|
| 1. EMISSIONS FROM EACH POINT SOURCE AND EACH STACK | 4. OVERALL EFFICIENCIES |
| 2. CAPTURE EFFICIENCIES | 5. FUGITIVE EMISSIONS |
| 3. CONTROL EFFICIENCIES | 6. NON-POINT (AREA) EMISSIONS |

For particulate (dust) emissions, describe the types of particulates being emitted and the quantities of emissions for each type. Identify and quantify each and every type of VOC that is included in the above summary tables. Whenever a material is identified by a trade name, also provide its generic name and its chemical abstract service (CAS) number.

FEDERAL HAZARDOUS AIR POLLUTANTS LIST

(Federal Clean Air Act, Title I, Section 112(b))

CAS No.	Chemical name	CAS No.	Chemical name	CAS No.	Chemical name	CAS No.	Chemical name
75070	Acetaldehyde	542756	1,3-Dichloropropene	80626	Methyl methacrylate	95476	o-Xylenes
60355	Acetamide	62737	Dichlorvos	1634044	Methyl tert butyl ether	108383	m-Xylenes
75058	Acetonitrile	111422	Diethanolamine	101144	4,4-Methylene bis(2-chloroaniline)	106423	p-Xylenes
98862	Acetophenone	121697	N,N-Diethyl aniline (N,N-Dimethylaniline)	75092	Methylene chloride (Dichloromethane)	0	Antimony Compounds
53963	2-Acetylaminofluorene	64675	Diethyl sulfate	101688	Methylene diphenyl diisocyanate (MDI)	0	Arsenic Compounds (inorganic including arsine)
107028	Acrolein	119904	3,3-Dimethoxybenzidine	101779	4,4'-Methylenedianiline	0	Beryllium Compounds
79061	Acrylamide	60117	Dimethyl aminoazobenzene	91203	Naphthalene	0	Cadmium Compounds
79107	Acrylic acid	119937	3,3'-Dimethyl benzidine	98953	Nitrobenzene	0	Chromium Compounds
107131	Acrylonitrile	79447	Dimethyl carbamoyl chloride	92933	4-Nitrobiphenyl	0	Cobalt Compounds
107051	Allyl chloride	68122	Dimethyl formamide	100027	4-Nitrophenol	0	Coke Oven Emissions
92671	4-Aminobiphenyl	57147	1,1-Dimethyl hydrazine	79469	2-Nitropropane	0	Cyanide Compounds[1]
62533	Aniline	131113	Dimethyl phthalate	684935	N-Nitroso-N-methylurea	0	Glycol ethers[2]
90040	o-Anisidine	77781	Dimethyl sulfate	62759	N-Nitrosodimethylamine	0	Lead Compounds
1332214	Asbestos	534521	4,6-Dinitro-o-cresol, and salts	59892	N-Nitrosomorpholine	0	Manganese Compounds
71432	Benzene (including benzene from gasoline)	51285	2,4-Dinitrophenol	56382	Parathion	0	Mercury Compounds
92875	Benzidine	121142	2,4-Dinitrotoluene	82688	Pentachloronitrobenzene (Quintobenzene)	0	Fine mineral fibers[3]
98077	Benzotrithloride	123911	1,4-Dioxane (1,4-Diethyleneoxide)	87865	Pentachlorophenol	0	Nickel Compounds
100447	Benzyl chloride	122667	1,2-Diphenylhydrazine	108952	Phenol	0	Polycyclic Organic Matter[4]
92524	Biphenyl	106898	Epichlorohydrin (1-Chloro-2,3-epoxypropane)	106503	p-Phenylenediamine	0	Radionuclides (including radon)[5]
117817	Bis(2-ethylhexyl)phthalate (DEHP)	106887	1,2-Epoxybutane	75445	Phosgene	0	Selenium Compounds
542881	Bis(chloromethyl)ether	140885	Ethyl acrylate	7803512	Phosphine		
75252	Bromoform	100414	Ethyl benzene	7723140	Phosphorus		
106990	1,3-Butadiene	51796	Ethyl carbamate (Urethane)	85449	Phthalic anhydride		
156627	Calcium cyanamide	75003	Ethyl chloride (Chloroethane)	1336363	Polychlorinated biphenyls (Aroclors)		
133062	Captan	106934	Ethylene dibromide (Dibromoethane)	1120714	1,3-Propane sultone		
63252	Carbaryl	107062	Ethylene dichloride (1,2-Dichloroethane)	57578	beta-Propiolactone		
75150	Carbon disulfide	107211	Ethylene glycol	123386	Propionaldehyde		
56235	Carbon tetrachloride	151564	Ethylene imine (Aziridine)	114261	Propoxur (Baygon)		
463581	Carbonyl sulfide	75218	Ethylene oxide	78875	Propylene dichloride (1,2-Dichloropropane)		
120809	Catechol	96457	Ethylene thiourea	75569	Propylene oxide		
33904	Chloramben	75343	Ethylidene dichloride (1,1-Dichloroethane)	75558	1,2-Propylenimine(2-Methyl aziridine)		
57749	Chlordane	50000	Formaldehyde	91225	Quinoline		
7782505	Chlorine	76448	Heptachlor	106514	Quinone		
79118	Chloroacetic acid	118741	Hexachlorobenzene	100425	Styrene		
532274	2-Chloroacetophenone	87683	Hexachlorobutadiene	96093	Styrene oxide		
108907	Chlorobenzene	77474	Hexachlorocyclopentadiene	1746016	2,3,7,8-Tetrachlorodibenzo-p-dioxin		
510156	Chlorobenzilate	67721	Hexachloroethane	79345	1,1,2,2-Tetrachloroethane		
67663	Chloroform	822060	Hexamethylene-1,6-diisocyanate	127184	Tetrachloroethylene (Perchloroethylene)		
107302	Chloromethyl methyl ether	680319	Hexamethylphosphoramide	7550450	Titanium tetrachloride		
126998	Chloroprene	110543	Hexane	108883	Toluene		
1319773	Cresols/Cresylic acid (isomers and mixture)	302012	Hydrazine	95807	2,4-Toluene diamine		
95487	o-Cresol	7647010	Hydrochloric acid	584849	2,4-Toluene diisocyanate		
108394	m-Cresol	7664393	Hydrogen fluoride (Hydrofluoric acid)	95534	o-Toluidine		
106445	p-Cresol	123319	Hydroquinone	8001352	Toxaphene (chlorinated camphene)		
98828	Cumene	78591	Isophorone	120821	1,2,4-Trichlorobenzene		
94757	2,4-D, salts and esters	58899	Lindane (all isomers)	79005	1,1,2-Trichloroethane		
3547044	DDE	108316	Maleic anhydride	79016	Trichloroethylene		
334883	Diazomethane	67561	Methanol	95954	2,4,5-Trichlorophenol		
132649	Dibenzofurans	72435	Methoxychlor	88062	2,4,6-Trichlorophenol		
96128	1,2-Dibromo-3-chloropropane	74839	Methyl bromide (Bromomethane)	121448	Triethylamine		
84742	Dibutylphthalate	74873	Methyl chloride (Chloromethane)	1582098	Trifluralin		
106467	1,4-Dichlorobenzene(p)	71556	Methyl chloroform (1,1,1-Trichloroethane)	540841	2,2,4-Trimethylpentane		
91941	3,3-Dichlorobenzidine	78933	Methyl ethyl ketone (2-Butanone)	108054	Vinyl acetate		
111444	Dichloroethyl ether (Bis(2-chloroethyl)ether)	60344	Methyl hydrazine	593602	Vinyl bromide		
		74884	Methyl iodide (Iodomethane)	75014	Vinyl chloride		
		108101	Methyl isobutyl ketone (Hexone)	75354	Vinylidene chloride (1,1-Dichloroethylene)		
		624839	Methyl isocyanate	1330207	Xylenes (isomers and mixture)		

For all listings above which contain the word "compounds" and for glycol ethers, unless otherwise specified, these listings are defined as including any unique chemical substance that contains the named chemical as part of that chemical's infrastructure.

[1] X'CN where X = H' or any other group where a formal dissociation may occur. For example KCN or Ca(CN)₂.

[2] Includes mono- and di- ethers of ethylene glycol, diethylene glycol and triethylene glycol R(OCH₂CH₂)_n-OR' where:

n = 1, 2 or 3

R = alkyl C7 or less, or phenyl or alkyl substituted phenyl

R' = H, or alkyl C7 or less, or carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate.

[3] Includes mineral fiber emissions from facilities manufacturing or processing glass, rock or slag fibers or other mineral derived fibers of average diameter one (1) micrometer or less.

[4] Includes organic compounds with more than one (1) benzene ring and which have a boiling point greater than or equal to 100°C.

[5] A type of atom which spontaneously undergoes radioactive deca